

| References                                                                                                                                                                                                            | Journal                | Year |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Ackroyd CE. Medial compartment arthroplasty of the knee. Review article. <i>J Bone Joint Surg</i> ; 2003; 85-B (7): 937-942                                                                                           | J Bone Joint Surg [Br] | 2003 |
| Ahlback S. Osteoarthrosis of the knee. A radiographic investigation. <i>Acta Radiol Diagn (Stockh)</i> ; (1968); Suppl 277: 7-72                                                                                      | Acta Radiol Diagn      | 1968 |
| Aldinger PR, Clarius M, Murray DW, Goodfellow JW, Breusch SJ. Medial unicompartmental knee replacement using the "Oxford Uni" meniscal bearing knee, <i>Orthopade</i> ; (2004); 33(11): 1277-83                       | Orthopade              | 2004 |
| Altman RD, Fries JF, Bloch DA, Carstens J, Cooke TD, Genant H, Gofton P, Groth H, McShane DJ, Murphy WA et al. Radiographic assessment of progression in osteoarthritis. <i>Arthritis Rheum</i> . (1987); 30: 1214-25 | Arthritis Rheum        | 1987 |
| Amis AA, Dawkins GPC. Functional anatomy of the anterior cruciate ligament: fibre bundle actions related to ligament replacements and injuries. <i>J Bone Joint Surg [Br]</i> ; (1991); 73-B: 260-7                   | J Bone Joint Surg [Br] | 1991 |
| Andriacchi TP, Mikosz RP, Hampton SJ, Galante JO. Model studies of the stiffness characteristics of the human knee joint. <i>J Biomech</i> ; (1983); 16: 23-9                                                         | J Biomech              | 1983 |
| Ansari S, Newman JH, Ackroyd CE. "St. Georg sledge for medial compartment knee replacement" 461 arthroplasties followed for 4 (1-17) years. <i>Acta Orthop Scand</i> ; (1997); 68 (5): 430-4                          | Acta Orthop Scand      | 1997 |
| Argenson J-N, Chevrol-Benkeddache Y, Aubaniac JM. Modern unicompartmental knee arthroplasty with cement: a three to ten year follow-up study. <i>J Bone Joint Surg [Am]</i> ; (2002); 84-A: 2235-9                    | J Bone Joint Surg [Am] | 2002 |

|                                                                                                                                                                                                                                                           |                        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Argenson J-N, Komistek RD, Aubaniac JM, Dennis DD, Northcut EJ, Anderson DT, Agostini S. In Vivo Determination of Knee Kinematics for Subjects Implanted with a Unicompartmental Arthroplasty, <i>Journal of Arthroplasty</i> ; (2002); 17 (8): 1049-1054 | J Arthroplasty         | 2002 |
| Argenson J-N, O'Connor J. Polyethylene Wear in Meniscal Knee Replacement A one to nine-year retrieval analysis of the Oxford Knee, <i>J Bone Joint Surg</i> ; (1992); 74-B: 228-232                                                                       | J Bone Joint Surg [Br] | 1992 |
| Ashraf T, Newman JH, Desai VV, Beard D, Nevelos JE. Polyethylene wear in a non-congruous unicompartmental knee replacement: a retrieval analysis. <i>Knee</i> ; (2004); 11: 177-81                                                                        | Knee                   | 2004 |
| Austalian Orthopaedic Association. National Joint Replacement Registry Annual Report, Adelaide: 2004                                                                                                                                                      | Joint Register         | 2004 |
| Austalian Orthopaedic Association. National Joint Replacement Registry Annual Report, Adelaide; ANJR, 2005                                                                                                                                                | Joint Register         | 2005 |
| Bare J, Gill HS, Beard DJ, Murray DW. A convex lateral tibial plateau for knee replacement. <i>Knee</i> ; (2006); 13 (6): 122 - 6                                                                                                                         | Knee                   | 2006 |
| Barrett DS, Biswas SP, MacKenney RP. The Oxford Knee Replacement A review from an Independent Centre, <i>J Bone Joint Surg [Br]</i> ; (1990); 72-B: 775-778                                                                                               | J Bone Joint Surg [Br] | 1990 |
| Bartel DL, Bicknell VL, Wright TM. The effect of conformity, thickness, and material on stresses in ultra-high molecular weight components for total joint replacement. <i>J Bone Joint Surg [Am]</i> ; (1986); 68-A: 1041-51                             | J Bone Joint Surg [Am] | 1986 |

|                                                                                                                                                                                                                                         |                        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Beard D, Ashraf T. "The 5th Bristol Unicompartmental Arthritis Meeting". <i>Knee</i> ; 10; (2003): 115-116                                                                                                                              | Knee                   | 2003 |
| Beard DJ, Murray DW, Rees JL, Price AJ, Dodd CAF. Accelerated recovery for unicompartmental knee replacement A feasibility study, <i>Knee</i> ; (2002); 9 (3): 221-224                                                                  | Knee                   | 2002 |
| Berend KR, Lombardi AV Jr, Adams JB. Obesity, young age, patellofemoral disease, and anterior knee pain: identifying the unicondylar arthroplasty patient in the United States, <i>Orthopedics</i> ; (2007); 30 (5 suppl): 19-23        | Orthopedics            | 2007 |
| Berend KR, Lombardi AV Jr. Liberal indications for minimally invasive Oxford unicondylar arthroplasty provide rapid functional recovery and pain relief, <i>Surg Technol Int</i> ; (2007); 16: 193-7                                    | Surg Technol Int       | 2007 |
| Berger RA, Lyon JH, Jacobs JJ, Barden RM, Barkson EM, Sheinkop MB, Rosenberg AG, Galante JO. Problems with cementless total knee arthroplasty at 11 years follow up. <i>Clin Orthop</i> ; (2001); 392: 196-207                          | Clin Orthop            | 2001 |
| Berger RA, Meneghini RM, Jacobs JJ, Sheinkop MB, Della Valle CJ, Rosenberg AG, Galante JO. Results of unicompartmental knee arthroplasty at a minimum of ten years of follow-up. <i>J Bone Joint Surg [Am]</i> ; (2005); 87-A: 999-1006 | J Bone Joint Surg [Am] | 2005 |
| Berger RA, Nedeff DD, Barden RM, Sheinkop MM, Jacobs JJ, Rosenberg AG, Galante JO. Unicompartmental knee arthroplasty. Clinical experience at 6 to 10 year follow up. <i>Clin Orthop</i> ; (1999); 367: 50-60                           | Clin Orthop            | 1999 |
| Berger RA, Rosenberg AG, Barden RM, Sheinkop MB, jacobs JJ, Galante JO. Long-term follow-up of the Miller-Galante total knee replacement. <i>Clin Orthop</i> ; (2001); 388: 58-67                                                       | Clin Orthop            | 2001 |

|                                                                                                                                                                                                             |                             |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------|
| Bert JM. 10-year survivorship of metal-backed, unicompartmental arthroplasty. <i>J Arthroplasty</i> ; (1998); 13: 901-5                                                                                     | J Arthroplasty              | 1998 |
| Bishop R, Denham R. A note on the ratio between tensions in the quadriceps tendon and infrapatellar ligament, <i>Eng Med</i> ; (1977); 6: 53-4                                                              | Eng Med                     | 1977 |
| Blankevoort L, Huiskes R. Validation of a three dimensional model of the knee. <i>J Biomech</i> ; (1996); 29: 955-61                                                                                        | J Biomech                   | 1996 |
| Bradley J, Goodfellow J, O' Connor J. A Radiographic Study of Bearing Movement in Unicompartmental Oxford Knee Replacements, <i>J Bone Joint Surg</i> ; (1987); 69B-4: 598-601                              | J Bone Joint Surg [Br]      | 1987 |
| Brantigan OC, Voshell AF. The mechanics of the ligaments and menisci of the knee joint. <i>J Bone Joint Surg [Am]</i> ; (1941); 23-A: 44-66                                                                 | J Bone Joint Surg [Am]      | 1941 |
| Brassard MF, Insall JN, Scuderi GR, Colizza W. Does modularity affect clinical success? A comparison with a minimum 10 year follow-up. <i>Clin Orthop</i> ; (2001); 388: 26-32                              | Clin Orthop                 | 2001 |
| Brown A. The Oxford unicompartmental knee replacement for osteoarthritis, <i>Issues Emerg Health Technol</i> ; (2001); 23: 1-4                                                                              | Issues Emerg Health Technol | 2001 |
| Buechel FF, Pappas MJ. The New Jersey Low-Contact-Stress Knee Replacement System: biomechanical rationale and review of the first 123 cemented cases. <i>Arch Orthop Trauma Surg</i> ; (1986); 105: 197-204 | Arch Orthop Trauma Surg     | 1986 |
| Buff HU, Jones LC, Hungerford DS. Experimental determination of forces transmitted through the patello-femoral joint. <i>J Biomech</i> ; (1988); 21: 17-23                                                  | J Biomech                   | 1988 |
| Bullough PG, Munuera L, Murphy J, Weinstein AM. The strength of the menisci of the knee as it relates to their fine structure. <i>J Bone Joint Surg [Br]</i> ; (1970); 52-B: 564-7                          | J Bone Joint Surg [Br]      | 1970 |

|                                                                                                                                                                                                                               |                        |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Butler DL, Noyes FR, Grood ES. Ligamentous restraints to anterior-posterior drawer in the human knee. <i>J Bone Joint Surg [Am]</i> ; (1980); 62-A: 259-70                                                                    | J Bone Joint Surg [Am] | 1980 |
| Callaghan, J. J. "Mobile-bearing knee replacement: clinical results: a review of the literature." <i>Clin Orthop</i> ; (2001); 392: 221-5.                                                                                    | Clin Orthop            | 2001 |
| Capra SW, Fehring TK. Unicondylar arthroplasty. A survivorship analysis. <i>J Arthroplasty</i> ; (1992); 7: 247-51                                                                                                            | J Arthroplasty         | 1992 |
| Carr A, Keyes G, Miller R, O'Connor J, Goodfellow J. Medial Unicompartmental Arthroplasty. A Survival Study of the Oxford Meniscal Knee, <i>Clin Orthop</i> ; (1992); 295: 205-213                                            | Clin Orthop            | 1993 |
| Cartier P, Sanouiller JL, Grelsamer RP. Unicompartmental knee arthroplasty surgery. 10-year minimum follow-up period. <i>J Arthroplasty</i> ; (1996) 11: 782-8                                                                | J Arthroplasty         | 1996 |
| Christensen NO. "Unicompartmental Prosthesis for Gonarthrosis" A Nine year series of 575 knees from a Swedish Hospital. <i>Clin Orthop</i> ; (1991); 273: 165-169                                                             | Clin Orthop            | 1991 |
| Colizza WA, Insall JN, Scuderi GR. The posterior stabilised total knee prosthesis. Assessment of polyethylene damage and osteolysis after a ten year minimum follow up. <i>J Bone Joint Surg [Am]</i> ; (1995); 77-A: 1713-20 | J Bone Joint Surg [Am] | 1995 |
| Confalonieri N, Manzotti A, Pullen C. Comparison of a mobile with a fixed tibial bearing unicompartmental knee prosthesis: a prospective randomized trial using a dedicated outcome score. <i>Knee</i> ; (2004); 11: 357-62   | Knee                   | 2004 |
| Cossey AJ, Spriggins AJ. The use of computer-assisted surgical navigation to prevent malalignment in unicompartmental knee arthroplasty, <i>J Arthroplasty</i> ; (2005); 20(1): 29-34                                         | J Arthroplasty         | 2005 |

|                                                                                                                                                                                                                                             |                      |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------|
| Cossey, A. J. and A. J. Spriggins. "The use of computer-assisted surgical navigation to prevent malalignment in unicompartmental knee arthroplasty." <i>J Arthroplasty</i> ; (2005); 20(1): 29-34.                                          | J Arthroplasty       | 2005 |
| Covey DC, Sapega AA, Sherman GM, Torg JS. Testing for 'isometry' during posterior cruciate ligament reconstruction. <i>Trans Orthop Res Soc</i> ; (1992); 17: 665                                                                           | Trans Orthop Res Soc | 1992 |
| Crowninshield R, Pope MH, Johnson R, Miller R. The impedance of the human knee. <i>J Biomech</i> ; (1976); 9: 529-35                                                                                                                        | J Biomech            | 1976 |
| Dacre JE, Cushnaghan J, Jack MJ, Kirwan JR, Dieppe PA. Knee x-rays, should we take them lying down? <i>Br J Rheumatology</i> ; (1991); 30 (Abstr Suppl 1): 3                                                                                | Br J Rheumatology    | 1991 |
| Dejour H, Dejour D, Habi S. Prothese Unicompartmentale du Genou. <i>Cah Enseign SOFCOT</i> ; (1998); 65: 156-9                                                                                                                              |                      | 1998 |
| Deschamps G, Lapeyre B. Rupture of the anterior cruciate ligament: a frequently unrecognised cause of failure of unicompartmental knee prostheses. <i>Fr J Orthop Surg</i> ; (1987); 1: 323-330                                             | Fr J Orthop Surg     | 1987 |
| Devereaux PJ, Bhandari M, Clarke M, Montori VM, Cook DJ, Yusuf S, Sackett DL, Cina CS, Walter SD, Haynes B, Schunemann HJ, Norman GR, Guyatt GH. Nedd for expertise based randomised controlled trials. <i>BMJ</i> ; (2005); 330 (7482): 88 | BMJ                  | 2005 |
| Ellis MI, Seedhom BB, Wright V. Forces in the knee joint whilst rising from a seated position. <i>J Biomed Eng</i> ; (1984); 6: 113-20                                                                                                      | J Biomed Eng         | 1984 |

|                                                                                                                                                                                           |                        |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Emerson RH Jr, Hansborough T, Reitman RD, Rosenfeld W, Higgins LL. Comparison of a mobile with a fixed-bearing unicompartmental knee implant. <i>Clin Orthop</i> ; (2002); 404: 62-70     | Clin Orthop            | 2002 |
| Emerson RH Jr. Preoperative and postoperative limb alignment after Oxford unicompartmental knee arthroplasty, <i>Orthopedics</i> ; (2007); 30 (5 suppl): 32-4                             | Orthopedics            | 2007 |
| Emerson RH, Head W, Peters PC. Soft Tissue Balance and Alignment in Medial Unicompartmental Knee Arthroplasty, <i>J Bone Joint Surg [Br]</i> ; (1992); 74-B-6: 807-8                      | J Bone Joint Surg [Br] | 1992 |
| Emerson, R. H., Jr. and L. L. Higgins. "A comparison of highly instrumented and minimally instrumented unicompartmental knee prostheses." <i>Clin Orthop</i> ; (2004); 428: 153-7         | Clin Orthop            | 2004 |
| Emery IH, Meachim G. Surface morphology and topography of patello-femoral cartilage fibrillation in Liverpool necropsies; <i>J Anat</i> ; (1973); 116: 103-20                             | J Anat                 | 1973 |
| Fairbank TJ. Knee joint changes after meniscectomy. <i>J Bone Joint Surg [Br]</i> ; (1948); 30-B: 664-70                                                                                  | J Bone Joint Surg [Br] | 1948 |
| Feikes JD. The mobility and stability of the human knee joint. Dphil Thesis, University of Oxford, 1999                                                                                   | Thesis                 | 1999 |
| Fisher N, Agarwal M, Reuben SF, Johnson DS, Turner PG. Sporting and physical activity following Oxford medial unicompartmental knee arthroplasty, <i>Knee</i> , (2006); 13 (4): 296 - 300 | Knee                   | 2006 |

|                                                                                                                                                                                  |                                     |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------|
| Freeman MAR. Tibiofemoral movement. London: British Editorial Society of Bone and Joint Surgery, 2001                                                                            |                                     | 2001 |
| Friederich NF, Muller W, O'Brien WR. Anterior cruciate ligament graft tensioning versus knee stability. <i>Knee Surg Sports Traumatol Arthrosc</i> ; (1998); 6 (Suppl 1): S38-42 | Knee Surg Sports Traumatol Arthrosc | 1998 |
| Friederich NF, Muller W, O'Brien WR. Clinical application of biomechanic and functional anatomical findings of the knee joint. <i>Orthopade</i> ; (1992); 21: 41-50              | Orthopade                           | 1992 |
| Garg A, Walker PS. Prediction of total knee motion using a three-dimensional computer-graphics model. <i>J Biomech</i> ; (1990); 23: 45-58                                       | J Biomech                           | 1990 |
| Garg A, Walker PS. The effect of the interface on the bone stresses beneath tibial components. <i>J Biomech</i> ; (1986); 19: 957-67                                             | J Biomech                           | 1986 |
| Gibson PH, Goodfellow JW. Stress radiography in degenerative arthritis of the knee. <i>J Bone Joint Surg</i> ; (1986); 68-B: 608-9                                               | J Bone Joint Surg [Br]              | 1986 |
| Gill GS, Joshi AB, Mills DM. Total condylar knee arthroplasty. 16 to 21 year results. <i>Clin Orthop</i> ; (1999); 367: 210-15                                                   | Clin Orthop                         | 1999 |
| Gill HS, O'Connor JJ. Biarticulating two dimensional computer model of the human patello joint. <i>Clin Biomech</i> ; (1996); 11: 81-89                                          | Clin Biomech                        | 1996 |

|                                                                                                                                                                                             |                               |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------|
| Girgis FG, Marshall JL, Monajem A. The cruciate ligaments of the knee joint. Anatomical, functional and experimental analysis. <i>Clin Orthop</i> ; (1975); 106: 216-31                     | Clin Orthop                   | 1975 |
| Gleeson RE, Evans R, Ackroyd CE, Webb J, Newman JH. Fixed or mobile bearing unicompartmental knee replacement? A comparative cohort study, <i>Knee</i> ; (2004); 11(5): 379-84              | Knee                          | 2004 |
| Goodfellow J, Hungerford DS, Zindel M. Patello-femoral joint mechanics and pathology. Functional anatomy of the patello-femoral joint. <i>J Bone Joint Surg [Br]</i> ; (1976); 58-B: 287-90 | J Bone Joint Surg [Br]        | 1976 |
| Goodfellow J, Kershaw CJ, Benson KDA, O'Connor J. The Oxford Knee for Unicompartmental Osteoarthritis. The First 103 Cases, <i>J Bone Joint Surg [Br]</i> ; (1988); 70-B-5: 692-701         | J Bone Joint Surg [Br]        | 1988 |
| Goodfellow J, O'Connor J, Murray DW. The Oxford Meniscal unicompartmental Knee, <i>The Journal of Knee Surgery</i> ; (2002) Vol 15 No. 4: 240-246, Autumn                                   | The Journal of Knee Surgery   | 2002 |
| Goodfellow J, O'Connor J. The Oxford Meniscal knee in Early Arthritis Seven Year Results, <i>AAOS</i> paper No 298: (1988): 1-3                                                             | Conference                    | 1988 |
| Goodfellow J, O'Connor J. Unicompartmental Arthroplasty with the Oxford Meniscal Knee Prosthesis, Surgery and Arthroscopy of the Knee 2nd Congress of the European Society; (1988)          | Conference                    | 1988 |
| Goodfellow J, O'Connor J, Murray D. Principles of Meniscal Bearing Arthroplasty for Unicompartmental Knee Replacement, <i>Unicompartmental Arthroplasty</i> ; (1997); 61: 174-180           | Unicompartmental Arthroplasty | 1997 |
| Goodfellow J, O'Connor J. Clinical Results of the Oxford Knee, Surface arthroplasty of the tibiofemoral joint with a meniscal bearing prosthesis. <i>Clin Orthop</i> ; (1986); 205: 21-42   | Clin Orthop                   | 1986 |

|                                                                                                                                                                                                                                                     |                        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Goodfellow J, O'Connor J. Oxford Knee (femoral). YK, German, Swiss Patent EP 0327397, Irish Patent 62951, US Patent 5314482, 1989                                                                                                                   | Patent Application     | 1989 |
| Goodfellow J, O'Connor J. The Anterior Cruciate Ligament in Knee Arthroplasty. A Risk-Factor With Unconstrained Meniscal Prostheses, <i>Clin Orthop</i> ; (1992); 276: 245-252                                                                      | Clin Orthop            | 1992 |
| Goodfellow J, O'Connor J. The Mechanics of the Knee and Prosthesis Design, <i>J Bone Joint Surg [Br]</i> ; (1978); 60-B (3): 358-369                                                                                                                | J Bone Joint Surg [Br] | 1978 |
| Goodfellow JW, O'Connor JJ, Shrive NG. Endo prosthetic knee joint devices. Br Patent Application 1534263, 1974                                                                                                                                      | Patent Application     | 1974 |
| Goodfellow JW, Tibrewal SB, Sherman KP, O'Connor JJ. Unicompartmental Oxford Meniscal Knee Arthroplasty, <i>J Arthroplasty</i> ; (1987); Vol. 2(1): 1-9                                                                                             | J Arthroplasty         | 1987 |
| Grelsamer RP. Current concepts review. Unicompartmental osteoarthritis of the knee. <i>J Bone Joint Surg [Am]</i> ; (1995); 77-A: 278-92                                                                                                            | J Bone Joint Surg [Am] | 1995 |
| Grood ES, Noyes FR, Butler DL, Suntay WJ. Ligamentous and capsular restraints preventing straight medial and lateral laxity in intact human cadaver knees. <i>J Bone Joint Surg [Am]</i> ; (1981); 63-A: 1257-69                                    | J Bone Joint Surg [Am] | 1981 |
| Grood ES, Noyes FR. Diagnosis of knee ligament injuries: biomechanical precepts. In: Feagin JA Jr (ed) <i>The Crucial ligaments: Diagnosis and treatment of ligamentous injuries about the knee</i> . New York: Churchill Livingstone, 1988; 245-85 | Book                   | 1988 |
| Gunther TV, Murray DW, Miller R, Wallace DA, Carr AJ, O'Connor JJ, McLardy-Smith P, Goodfellow J. Lateral Unicompartmental Arthroplasty with the Oxford Meniscal Knee, <i>Knee</i> ; (1996); 3: 33-39                                               | Knee                   | 1996 |

|                                                                                                                                                                                                                                      |                                        |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------|
| Hall AS. Kinematics and linkage design. Englewood Cliffs, NJ: Prentice-Hall, 1961                                                                                                                                                    | Book                                   | 1961 |
| Hall RM, Siney P, Unsworth A, Wroblewski BM. The association between rates of wear in retrieved acetabular components and the radius of the femoral head. <i>J Engng, Proc Inst Mech Eng H</i> ; (1998); 212: 321-6                  | J Engng, Proc Inst Mech Eng            | 1998 |
| Hamelynck KJ, Stiehl JB, Voorhorst PE. Worldwide multicentre outcome study. In: Hamelynck KJ, Stiehl JB (ed). LCS mobile bearing arthroplasty. 25 years of Worldwide experience. Berlin: Springer, 2002; 212-24                      | Book                                   | 2002 |
| Hangody L, Sukosd L, Gabor A, Karpati Z. Experience with the "Oxford" type unicompartmental meniscus and surface replacing knee prosthesis. Preliminary report, <i>Magy Traumatol Orthop Helyreallito Seb</i> ; (1992); 35(3): 255-8 | Magy Traumatol Orthop Helyreallito Seb | 1992 |
| Harilainen A, Ylinen P, Sandelin J, Vahvanen V. "Survival analysis and predictors of failure in unicompartmental knee replacement using a PCA prosthesis". <i>Knee</i> ; 1(4); 1995: 201-207                                         | Knee                                   | 1995 |
| Harman MK, Markovich GD, Banks SA, Hodge WA. Wear patterns on tibial plateaus from varus and valgus osteoarthritic knees. <i>Clin Orthop</i> ; (1998); 352: 149-58                                                                   | Clin Orthop                            | 1998 |
| Hart WJ, Jones RS. Wear debris associated with a large lateral femoral condyle cyst following an Oxford medial unicompartmental knee replacement, <i>Knee</i> ; (2004); 11(5): 409-12                                                | Knee                                   | 2004 |
| Hartnett N, Hobbs A, Tregonning R. The early failure of the Oxford phase 3 unicompartmental arthroplasty. Presented at the annual meeting of the New Zealand Orthopaedic Association. October 4th 2005; Christchurch: New Zealand    | Conference                             | 2005 |

|                                                                                                                                                                                                                                              |                         |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------|
| Hasegawa Y, Ooishi Y, Shimuzu T, Sugiura H, Takahashi S, Ito H, Iwata H. Unicompartmental knee arthroplasty for medial gonarthrosis: 5 to 9 years follow up of 77 knees. <i>Arch Orthop Trauma Surg</i> ; (1998); 117: 183-7                 | Arch Orthop Trauma Surg | 1998 |
| Hassaballa, M. A., Porteous A.J., Newman J.H., Rogers C.A., "Can knees kneel? Kneeling ability after total, unicompartmental and patellofemoral knee arthroplasty." <i>Knee</i> ; (2003); 10(2): 155-60                                      | Knee                    | 2003 |
| Hassabella MA, Porteous AJ, Learmonth ID. Functional outcomes after different types of knee arthroplasty: kneeling ability versus descending stairs, <i>Med Sci Monit</i> ; (2007); 13 (2): 77-81                                            | Med Sci Monit           | 2007 |
| Hauptmann SM, Kreul U, Mazoochian F, Schulze-Pellengahr CV, Jansson V, Muller PE. Influence of patellofemoral osteoarthritis on functional outcome after unicondylar knee arthroplasty, <i>Orthopade</i> ; 2005; (Epub ahead of publication) | Orthopade               | 2005 |
| Heck DA, Marmor L, Gibson A, Rougraff BT. Unicompartmental knee arthroplasty. A multicenter investigation with long-term follow-up evaluation. <i>Clin Orthop</i> ; (1993); 286: 154-9                                                       | Clin Orthop             | 1993 |
| Hernigou P, Deschamps G. " Posterior Slope of the Tibial implant and the outcome of Unicompartmental knee arthroplasty". <i>J Bone Joint Surg [Am]</i> ; 86-A (3); (2004): 506-511                                                           | J Bone Joint Surg [Am]  | 2004 |
| Hernigou P, Deschamps G. Alignment influences wear in the knee after medial unicompartmental arthroplasty. <i>Clin Orthop</i> ; (2004); 423: 161-5                                                                                           | Clin Orthop             | 2004 |
| Hernigou P, Deschamps G. Patellar impingement following unicompartmental arthroplasty. <i>J Bone Joint Surg [Am]</i> ; (2002) 84-A: 1132-7                                                                                                   | J Bone Joint Surg [Am]  | 2002 |

|                                                                                                                                                                                                                                                   |                        |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Herzog W, Read LJ. Lines of action and moment arms of the major force-carrying structures crossing the human knee joint, <i>J Anat</i> ; (1993); 182: 213-30                                                                                      | J Anat                 | 1993 |
| Hollinghurst D, Stoney J, Ward T, Gill HS, Newman JH, Murray DW, Beard DJ. No deterioration of kinematics and cruciate function 10 years after medial unicompartmental arthroplasty; <i>Knee</i> , (2006); 13 (6): 440 - 4                        | Knee                   | 2006 |
| Howell G, Crawford R, Murray D. "The Oxford Unicompartmental Meniscal Bearing Knee: A Ten Year Clinical and Radiological Follow-up". BOA Cardiff, 1997                                                                                            | Conference proceedings | 1997 |
| Huberti HH, Hayes WC, Stone JL, Shybut GT. Force ratios in the quadriceps tendon and ligamentum patellae. <i>J Orthop Res</i> ; (1984); 2: 49-54                                                                                                  | J Orthop Res           | 1984 |
| Huss RA, Holstein H, O'Connor JJ. The effect of cartilage deformation on the laxity of the knee joint. <i>J Engng Med, Proc Inst Mech Eng (H)</i> ; (1999); 13: 19-32                                                                             | Proc Inst Mech Eng     | 1999 |
| Imran A. Mechanics of the ligament deficient knee. Dphil Thesis, University of Oxford, 1999                                                                                                                                                       | Thesis                 | 1999 |
| Isaac SM, Barker KL, Danial IN, Beard DJ, Dodd CA, Murray DW. Does arthroplasty type influence knee joint proprioception? A longitudinal prospective study comparing total and unicompartmental arthroplasty, <i>Knee</i> ; (2007); 14 (3): 212-7 | Knee                   | 2007 |
| Iwaki H, Pinskerova V, Freeman MA. Tibiofemoral movement. 1: The shapes and relative movements of the femur and tibia in the unloaded cadaver knee. <i>J Bone Joint Surg [Br]</i> ; (2000); 82-B: 1189-95                                         | J Bone Joint Surg [Br] | 2000 |

|                                                                                                                                                                                                                                                   |                               |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------|
| Jacobsen K. Gonylaxometry. Stress radiographic measurement of passive stability in the knee joints of normal subjects and patients with ligament injuries. Accuracy and range of application. <i>Acta Orthop Scand Suppl</i> ; (1981); 194: 1-263 | Acta Orthop Scand             | 1981 |
| Jahromi I, Walton NP, Dobson PJ, Lewis PL, Campbell DG. Patient-perceived outcome measures following unicompartmental knee arthroplasty with mini-incision, <i>Int Orthop</i> ; (2004); 28(5): 286-9                                              | Int Orthop                    | 2004 |
| Jeer, P. J., G. C. Keene, Gill P. Unicompartmental knee arthroplasty: an intermediate report of survivorship after the introduction of a new system with analysis of failures. <i>Knee</i> ; (2004); 11(5): 369-74                                | Knee                          | 2004 |
| Jefferson RJ, Whittle MW. Biomechanical assessment of unicompartmental knee arthroplasty, total condylar arthroplasty and tibial osteotomy. <i>Clin Biomech</i> ; (1989); 4: 232-42                                                               | Clin Biomech                  | 1989 |
| Jonsson GT. Compartmental arthroplasty for gonarthrosis. <i>Acta Orthop Scand Suppl</i> ; (1981); 193: 1-110                                                                                                                                      | Acta Orthop Scand             | 1981 |
| Kabo JM, Gebhard JS, Loren G, Amstutz HC. In vivo wear of polyethylene acetabular components. <i>J Bone Joint Surg [Br]</i> ; (1993); 75-B: 254-8                                                                                                 | J Bone Joint Surg [Br]        | 1993 |
| Kaczmarczyk J, Nowakowski A, Balcerkiewicz K, Stanek R. Treatment of degenerative disease of knee joint with the Oxford prosthesis, <i>Chir Narzadow Ruchu Ortop Pol</i> ; (2002); 68(3): 173-5                                                   | Chir Narzadow Ruchu Ortop Pol | 2003 |
| Kapandji I. The Physiology of the Joints. Vol II Edinburgh: Churchill Livingstone, 1970                                                                                                                                                           | Book                          | 1970 |

|                                                                                                                                                                                                     |                                  |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|------|
| Keblish, P. A. and J. L. Briard. "Mobile-bearing unicompartmental knee arthroplasty: a 2-center study with an 11-year (mean) follow-up." <i>J Arthroplasty</i> ; (2004); 19 (7 Suppl 2): 87-94      | J Arthroplasty                   | 2004 |
| Kennedy WR, White RP. Unicompartmental arthroplasty of the knee. Postoperative alignment and its influence on overall results. <i>Clin Orthop</i> ; (1987); 221: 278-85                             | Clin Orthop                      | 1987 |
| Keys GW, Carr AJ, Miller RK, Goodfellow JW. The radiographic classification of medial gonarthrosis. Correlation with operation methods in 200 knees. <i>Acta Orthop Scand</i> ; (1992); 63: 497-501 | Acta Orthop Scand                | 1992 |
| Keys GW, Ul-Abiddin Z, Toh EM. Analysis of first forty Oxford medial Unicompartmental knee replacement from a small district hospital in UK, <i>Knee</i> ; (2004); 11(5): 375-377                   | Knee                             | 2004 |
| Keys GW. Reduced Invasive Approach for Oxford II Medial Unicompartmental Knee Replacement - a Preliminary Study, <i>Knee</i> ; (1999); 6: 193-196                                                   | Knee                             | 1999 |
| Khanna G, Levy BA. Oxford unicompartmental knee replacement: literature review, <i>Orthopedics</i> ; (2007); 30 (5 suppl): 11-4                                                                     | Orthopedics                      | 2007 |
| Kim KT, Lee S, Bae EH, Kim HS, Park JS, Cha SG. Unicompartmental Knee Arthroplasty A Prospective Analysis and Short-term Results, <i>J Korean Orthopaedic Association</i> ; (2005); 40 (2): 161-167 | J Korean Orthopaedic Association | 2005 |
| Kim KT, Lee S, Park HS, Cho KH, Kim KS. A prospective analysis of Oxford phase 3 unicompartmental knee arthroplasty; <i>Orthopedics</i> ; (2007); 30 (5 suppl): 15-8                                | Orthopedics                      | 2007 |

|                                                                                                                                                                                                                                                                                                      |                                            |             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------|
| <p>Kleijn LL, van Hemert WL, Meijers WG, Kester AD, Lisowski L, Grimm B, Heyligers IC. Functional improvement after unicompartmental knee replacement: a follow-up study with a performance based knee test. <i>Knee Surg Sports Traumatol Arthrosc</i>; (2007); 15-10: 1187-93.</p>                 | <p>Knee Surg Sports Traumatol Arthrosc</p> | <p>2007</p> |
| <p>Knutson K, Lewold S, Robertson O, Lidgren L. The Swedish Knee Arthroplasty Register A NATIONWIDE STUDY OF 30,003 KNEES 1976- 1992, <i>Acta Orthop Scand</i>; (1994); 65 (4): 375-386</p>                                                                                                          | <p>Acta Orthop Scand</p>                   | <p>1994</p> |
| <p>Kort NP, van Raay JJ, Cheung J, Jolink C, Deutman R. Analysis of Oxford medial unicompartmental knee replacement using the minimally invasive technique in patients aged 60 and above: an independent prospective series, <i>Knee Surg Sports Traumatol Arthrosc</i>; (2007); 15 (11): 1331-4</p> | <p>Knee Surg Sports Traumatol Arthrosc</p> | <p>2007</p> |
| <p>Kort NP, van Raay JJ, Thomassen BJ. Alignment of the femoral component in a mobile-bearing unicompartmental knee arthroplasty: a study in 10 cadaver femora, <i>Knee</i>; (2007); 14 (4): 280-3</p>                                                                                               | <p>Knee</p>                                | <p>2007</p> |
| <p>Kort NP, van Raay JJ, van Horn JJ. The Oxford phase III unicompartmental knee replacement in patients less than 60 years of age, <i>Knee Surg Sports Traumatol Arthrosc</i>; (2007); 15 (4): 356-60</p>                                                                                           | <p>Knee Surg Sports Traumatol Arthrosc</p> | <p>2007</p> |
| <p>Koskinen E, Paavolainen P, Eskelinen A, Pulkkinen P, Remes V. Unicondylar knee replacement for primary osteoarthritis: a prospective follow-up study of 1,819 patients from the Finnish Arthroplasty Register, <i>Acta Orthop</i>; (2007); 78 (1): 128-35</p>                                     | <p>Acta Orthop</p>                         | <p>2007</p> |

|                                                                                                                                                                                                                     |                        |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Kozinn SC, Marx C, Scott RD. Unicompartmental knee arthroplasty. A 4.5-6 year follow-up study with a metal-backed tibial component. <i>J Arthroplasty</i> ; (1989); 4 (Suppl): S1-10                                | J Arthroplasty         | 1989 |
| Kozinn SC, Scott R. Unicondylar knee arthroplasty. <i>J Bone Joint Surg [Am]</i> ; (1989); 71-A: 145-50                                                                                                             | J Bone Joint Surg [Am] | 1989 |
| Kumar A, Fiddian NJ. Medial Unicompartmental Arthroplasty of the Knee, <i>Knee</i> ; (1999); 6 (1): 21 -23                                                                                                          | Knee                   | 1999 |
| Kurosawa H, Walker PS, Abe S, Garg A, Hunter T. Geometry and motion of the knee for implant and orthotic design. <i>J Biomech</i> ; (1985); 18: 487-99                                                              | J Biomech              | 1985 |
| Lang G, Memheld B, Bogorin I, Edel S. Single compartment Oxford knee prosthesis, <i>Chirurgie</i> ; (1994); 120(5): 264-71                                                                                          | Chirurgie              | 1994 |
| Langdown AJ, Pandit HG, Price AJ, Dodd CAF, Murray DW, Svard U, Gibbons CLMH. Oxford medial unicompartemental arthroplasty for focal spontaneous osteonecrosis of the knee. <i>Acta Orthop</i> ; (2005); 76: 688-92 | Acta Orthop            | 2005 |
| Laskin RS. The Genesis total knee prosthesis. <i>Clin Orthop</i> ; (2001); 388: 95-102                                                                                                                              | Clin Orthop            | 2001 |
| Laurencin CT, Zelicof SB, Scott RD, Ewald FC. Unicompartmental versus total knee arthroplasty in the same patient. A comparative study, <i>Clin Orthop</i> ; (1991); 273: 151-6                                     | Clin Orthop            | 1991 |

|                                                                                                                                                                                                                                                                                     |                   |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------|
| Lewold S, Goodman S, Knutson K, Robertsson O, Lidgen L. Oxford Meniscal Bearing Knee Versus the Marmor Knee in Unicompartmental Arthroplasty for Arthrosis A Swedish Multicenter Survival Study, <i>J Arthroplasty</i> ; (1995); 10-6: 722-731                                      | J Arthroplasty    | 1995 |
| Lewold S, Robertsson O, Knutson K, Lidgren L. "Revision of Unicompartmental Knee Arthroplasty" Outcome in 1,135 cases from the Swedish Knee Arthroplasty Study. <i>Acta Orthop Scand</i> ; (1998); 69 (5): 469-474                                                                  | Acta Orthop Scand | 1998 |
| Li MG, Yao F, Joss B, Ioppolo J, Nivbrant B, Wood D. Mobile vs. fixed bearing unicondylar knee arthroplasty: A randomised study on short term clinical outcomes and knee kinematics, <i>Knee</i> ; (2006); 13 (5): 365-70                                                           | Knee              | 2006 |
| Lidgren L, Knutson K, Robertson O. Swedish Knee arthroplasty Register: Annual Report 2004. Lund: Swedish Knee Arthroplasty Register, 2004                                                                                                                                           | Joint Registry    | 2004 |
| Lidgren L, Knutson K, Robertson O. Swedish Knee arthroplasty Register: Annual Report 2005. Lund.                                                                                                                                                                                    | Joint Registry    | 2005 |
| Lindstrand A, Strensom A, Ryd L, Toksvig-Larsen S. The introduction period of unicompartmental knee arthroplasty is critical: a clinical, multicentred, and radiostereometric study of 251 Duracon unicompartmental knee arthroplasties. <i>J Arthroplasty</i> ; (2000); 15: 608-16 | J Arthroplasty    | 2000 |
| Lisowski A.E., Verjeijen P.M., Lisowski L.A. "Oxford Phase 3 unicompartmental arthroplasty for treatment of anteromedial osteoarthritis of the knee joint" Analysis of three year results. Presented at Oxford Instructional Course, (2003)                                         | Conference        | 2003 |

|                                                                                                                                                                                                                                                                                                                              |                         |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------|
| Lisowski L, Heikens S, van Lummel R, van der Slikke R, Wetzels L, Creusen H, Lisowski A, "Does patello-femoral arthritis influence the clinical outcome of the Oxford Phase 3 prosthesis?". Presented at Oxford Instructional Course, (2003)                                                                                 | Conference              | 2003 |
| Lisowski LA, Verheijen PM, Lisowski AE. "Clinically and radiologically assessment of the Oxford Phase 3 prosthesis in patients with osteoarthritis of the knee joint with a minimal follow-up of 2 years" Results of new minimally invasive technique and prognostic factors. Presented at Oxford Instructional Course, 2004 | Conference              | 2004 |
| Lisowski LA, Verheijen PM, Lisowski AE. Oxford phase 3 Unicompartmental Knee Arthroplasty (UKA): Clinical and radiological results of minimum follow-up of 2 years, <i>Ortop Traumatol Rehabil</i> ; (2004); 6 (6): 773-6                                                                                                    | Ortop Traumatol Rehabil | 2004 |
| Lu T-W, O'Connor JJ. Fibre recruitment and shape changes of knee ligaments during motion: as revealed by a computer graphics-based model. <i>J Engng Med, Proc Inst Mech Eng (H)</i> ; (1996); 210: 71-9                                                                                                                     | Proc Inst Mech Eng      | 1996 |
| Lu T-W, O'Connor JJ. Lines of action and moment arms of the major force-bearing structures crossing the human knee joint: comparison between theory and experiment. <i>J Anat</i> ; (1996); 189: 575-85                                                                                                                      | J Anatomy               | 1996 |
| Luscombe KL, Lim J, Jones PW, White SH. Minimally invasive Oxford medial unicompartmental knee arthroplasty. A note of caution!, <i>Int Orthop</i> ; (2007); 31 (3): 321-4                                                                                                                                                   | Int Orthop              | 2007 |
| MacIntosh DL. Hemiarthroplasty of the knee using a space occupying prosthesis for painful varus and valgus deformities. <i>J Bone Joint Surg [Am]</i> ; (1958); 40-A: 1431                                                                                                                                                   | J Bone Joint Surg [Am]  | 1958 |

|                                                                                                                                                                                               |                        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Malkani AL, Rand JA, Bryan RS, Wallrichs SL. Total knee arthroplasty with the Kinematic condylar prosthesis. A ten-year follow-up study. <i>J Bone Joint Surg [Am]</i> ; (1995); 77-A: 423-31 | J Bone Joint Surg [Am] | 1995 |
| Maquet P. Biomechanics of the Knee. Berlin: Springer-Verlag, 1976                                                                                                                             | Book                   | 1976 |
| Marmor L. Preface. Prothese Unicompartmentale du Genou. Paris: Expansion Scientifique, 1998                                                                                                   | Conference             | 1998 |
| Marmor L. The modular (Marmor) knee: case report with a minimum follow-up of two years. <i>Clin Orthop</i> ; (1976); 120: 86-94                                                               | Clin Orthop            | 1976 |
| Marmor L. Unicompartmental and total knee arthroplasty. <i>Clin Orthop</i> ; (1985); 192: 75-81                                                                                               | Clin Orthop            | 1985 |
| Marmor L. Unicompartmental arthroplasty for Osteonecrosis of the knee joint. <i>Clin Orthop</i> ; (1993); 294: 247-53                                                                         | Clin Orthop            | 1993 |
| Marmor L. Unicompartmental arthroplasty of the knee with a minimum ten-year follow-up period. <i>Clin Orthop</i> ; (1988); 228: 171-7                                                         | Clin Orthop            | 1988 |
| Martin JG, Wallace DA, Woods DA, Carr AJ, Murray DW. Revision of Unicondylar Knee Replacements to Total Knee Replacement, <i>Knee</i> ; (1995); 2 (2): 121-5                                  | Knee                   | 1995 |
| Mayman DJ, Rudan J, Watson D, Ellis R. Computer-enhanced insertion of the Oxford unicompartmental arthroplasty: a fluoroguide technique, <i>Comput Aided Surg</i> ; (2004); 9(3): 81-5        | Comput Aided Surg      | 2004 |

|                                                                                                                                                                                                                                                           |                        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Meding JB, Keating EM, Ritter MA, Faris PM. Total knee arthroplasty after high tibial osteotomy. <i>Clin Orthop</i> ; (2000); 375: 175-84                                                                                                                 | Clin Orthop            | 2000 |
| Meister BR, Michael SP, Moyer RA, Kelly JD, Schneck CD. Anatomy and kinematics of the lateral collateral ligament of the knee. <i>Am J Sports Med</i> ; (2000); 28: 869-78                                                                                | Am J Sports Med        | 2000 |
| Miller RK, Goodfellow JW, Murray DW, O'Connor JJ. In Vitro measurement of patellofemoral force after three types of knee replacement, <i>J Bone Joint Surg</i> ; (1998); 80-B (5): 900-906                                                                | J Bone Joint Surg [Br] | 1998 |
| Mommersteeg TJ, Blankevoort L, Huiskes R, Kooloos JG, Kauer JM, Hendriks JC. The effect of variable relative insertion orientation of human knee bone-ligament-bone complexes on the tensile stiffness. <i>J Biomech</i> ; (1995); 28: 745-52             | J Biomech              | 1995 |
| Morra EA, Greenwald AS. Effects of walking gait on ultra-high weight molecular polyethylene damage in unicompartmental knee systems. A finite element study. <i>J Bone Joint Surg [Am]</i> ; 2003; 85-A (Suppl 4): 111-14                                 | J Bone Joint Surg [Am] | 2003 |
| Mullaji AB, Sharma A, Marawar S. Unicompartmental knee arthroplasty: functional recovery and radiographic results with a minimally invasive technique. <i>J Arthroplasty</i> ; 2007; 22-4 Suppl 1: 7-11                                                   | J Arthroplasty         | 2007 |
| Muller PE, Pellengahr C, Witt M, Kircher J, Refior HJ, Jansson V. Influence of minimally invasive surgery on implant positioning and the functional outcome for medial unicompartmental knee arthroplasty, <i>J Arthroplasty</i> ; (2004); 19(3): 296-301 | J Arthroplasty         | 2004 |
| Murray D, O'Connor J, Goodfellow J. "10 Year Survival of the Oxford Knee Unicompartmental Meniscal Knee Replacement". EFORT Free Paper; (1997): 1-124                                                                                                     | Conference             | 1997 |

|                                                                                                                                                                                                                                                                       |                                      |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------|
| Murray D. Survival analysis. In: Pynsent P, Fairbank J, Carr A (ed). Assessment methodology in Orthopaedics. Oxford: Butterworth-Heinemann, (1997); 19-28                                                                                                             | Book                                 | 1997 |
| Murray DW, Britton AR, Bulstrode CJ. Loss to follow-up matters. <i>J Bone Joint Surg [Br]</i> ; (1997); 79-B: 254-7                                                                                                                                                   | J Bone Joint Surg [Br]               | 1997 |
| Murray DW, Goodfellow JW, O'Connor JJ. The Oxford Medial Unicompartmental Arthroplasty A ten year survival study, <i>J Bone Joint Surg [Br]</i> ; (1998); 80-B (6): 983-989                                                                                           | J Bone Joint Surg [Br]               | 1998 |
| Murray DW. Mobile bearing unicompartmental knee replacement, <i>Orthopaedics</i> ; (2005); 28 (9): 985-7                                                                                                                                                              | Orthopaedics                         | 2005 |
| Murray DW. Mobile bearing unicompartmental knee replacement, <i>Orthopedics</i> ; (2007); 30 (9): 768-9                                                                                                                                                               | Orthopedics                          | 2007 |
| Naal FD, Fischer M, Preuss A, Goldhahn J, von Knoch F, Preiss S, Munzinger U, Drobny T. Return to sports and recreational activity after unicompartmental knee arthroplasty. <i>Am J Sports Med</i> ; (2007) ;35-10:1688-95                                           | Am J Sports Med                      | 2007 |
| Neider E. Schlitten prothese, Rotations knie und Scharnierprothese modell St. Georg and Endo-Modell. <i>Orthopade</i> ; (1991); 20: 170-180                                                                                                                           | Orthopade                            | 1991 |
| Noble J, Hamblen DL. The pathology of the degenerate meniscus lesion. <i>J Bone Joint Surg [Br]</i> ; (1975); 57-B: 180-6                                                                                                                                             | J Bone Joint Surg [Br]               | 1975 |
| O'Connor J, Goodfellow J, Perry N. Fixation of the Tibial Components of the Oxford Knee, <i>Orthopaedic Clinics of North America</i> ; (1982); 13 (1): 65-87                                                                                                          | Orthopaedic Clinics of North America | 1982 |
| O'Connor J, Goodfellow J, Imran A, Lu TW, Wilson DR, Feikes J. Kinematics and Mechanics of the Knee with Application to Unicompartmental Replacement and the Pathomechanics of Anteromedial Osteoarthritis, <i>Unicompartmental Arthroplasty</i> ; (1997); 61 : 12-26 | Unicompartmental Arthroplasty        | 1997 |

|                                                                                                                                                                                        |                        |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| O'Connor J, Goodfellow J. Theory and Practice of Meniscal Knee Replacement; Designing against Wear, <i>Proc Inst Mech Eng</i> ; (1996); 21: 217-222                                    | Proc Inst Mech Eng     | 1996 |
| O'Connor J, Imran A. Bearing movement after Oxford unicompartmental knee arthroplasty: a mathematical model, <i>Orthopedics</i> ; (2007); 30 (5 suppl): 42-5                           | Orthopedics            | 2007 |
| O'Connor J, Shercliff T, Biden E, Goodfellow J. The Geometry of the Knee in the Sagittal Plane, <i>Proc Instra Mech Eng</i> ; (1989); 20: 223-233                                      | Proc Inst Mech Eng     | 1989 |
| O'Connor J, Shercliff T, FitzPatrick D. Mechanics of the knee. In: Daniel D, Akeson W, O'Connor J (ed) Ligaments structure, function, injury and repair. New-York: Raven Press, 1990   | Book                   | 1990 |
| O'Connor JJ, Goodfellow JW, Dodd CA, Murray DW. Development and clinical application of meniscal unicompartmental arthroplasty, <i>Proc Inst Mech Eng (H)</i> ; (2007); 221 (1): 47-59 | Proc Inst Mech Eng     | 2007 |
| Outerbridge RE. The aetiology of chondromalacia patellae. <i>J Bone Joint Surg [Br]</i> ; (1961); 43-B: 752-7                                                                          | J Bone Joint Surg [Br] | 1961 |
| Owre A. Chondromalacia Patellae. <i>Acta Chirurg Scand</i> ; (1936); Suppl 41                                                                                                          | Acta Chirurg Scand     | 1936 |
| Palacios Blancarte F, Montes Samaniego F. Unicompartmental knee arthroplasty with an Oxford prosthesis; <i>Acta Ortop Mex</i> , (2007); 21 (2): 49-54                                  | Acta Ortop Mex         | 2007 |
| Palmer SH, Morrison PJ, Ross AC. Early catastrophic tibial component wear after unicompartmental knee arthroplasty. <i>Clin Orthop</i> ; (1998); 350: 143-8                            | Clin Orthop            | 1998 |

|                                                                                                                                                                                                                          |                        |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Pandit H, Aslam N, Pirpiris M, Jinnah R. Total knee arthroplasty: the future, <i>J Surg and Orthop Adv</i> ; (2006); 15 (2): 79 - 85                                                                                     | J Surg Orthop Adv      | 2006 |
| Pandit H, Beard DJ, Jenkins C, Kimstra Y, Thomas NP, Dodd CA, Murray DW. Combined anterior cruciate reconstruction and Oxford unicompartmental knee arthroplasty, <i>J Bone Joint Surg [Br]</i> , (2006); 88 (7): 887-92 | J Bone Joint Surg [Br] | 2006 |
| Pandit H, Jenkins C, Berker K, Dodd CAF, Murray DW. The oxford medial unicompartmental Knee replacement using a minimally invasive approach. <i>J Bone Joint Surg [Br]</i> ; (2006); 88-B: 54-60                         | J Bone Joint Surg [Br] | 2006 |
| Pandit H, Murray DW, Dodd CA, Deo S, Waite J, Goodfellow J, Gibbons CL. Medial tibial plateau fracture and the Oxford unicompartmental knee, <i>Orthopedics</i> ; (2007); 30 Supp: 28-31                                 | Orthopedics            | 2007 |
| Pandit, H.G, A. J. Price, Rees JL, Beard DJ, Gill HS, Dodd CAF, Murray DW. Is Unicompartmental knee Arthroplasty contraindicated in young active patients? <i>J Bone Joint Surg [Br]</i> ; (2004); 86-B(Suppl): 12       | J Bone Joint Surg [Br] | 2004 |
| Pavone V, Boettner F, Fickert S, Sculco TP. Total condylar knee arthroplasty: a long-term follow up. <i>Clin Orthop</i> ; (2001); 388: 18-25                                                                             | Clin Orthop            | 2001 |
| Piziali RL, Seering WP, Nagel DA, Schurman DJ. The function of the primary ligaments of the knee in anterior-posterior and medial-lateral motions. <i>J Biomech</i> ; (1980); 13: 777-84                                 | J Biomech              | 1980 |
| Plante-Bordeneuve P, Freeman MA. Tibial high-density polyethylene wear in conforming tibiofemoral prostheses, <i>J Bone Joint Surg [Br]</i> ; (1993); 75-B: 630-6                                                        | J Bone Joint Surg [Br] | 1993 |
| Price AJ, Dodd CAF, Svard UGC, Murray DW. Oxford Unicompartmental arthroplasty in patients younger than 60 years of age. <i>J Bone Joint Surg [Br]</i> ; (2005); 87-B: 1488-92                                           | J Bone Joint Surg [Br] | 2005 |

|                                                                                                                                                                                                                                                     |                        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Price AJ, O'Connor JJ, Murray DW, Dodd CA, Goodfellow JW. A history of Oxford unicompartmental knee arthroplasty, <i>Orthopedics</i> ; (2007); 30 (5 suppl): 7-10                                                                                   | Orthopedics            | 2007 |
| Price AJ, Oppold PT, Murray DW, Zavatsky AB. Simultaneous in vitro measurement of patellofemoral kinematics and forces following Oxford medial unicompartmental knee replacement, <i>J Bone Joint Surg [Br]</i> ; (2006); 88-B (12): 1591-5         | J Bone Joint Surg [Br] | 2006 |
| Price AJ, Rees JL, Beard DJ, Gill RH, Dodd CA, Murray DM. Sagittal plane kinematics of a mobile bearing unicompartmental knee arthroplasty at 10 years: a comparative in vivo fluoroscopic analysis. <i>J Arthroplasty</i> ; (2004); 19 (5): 590-97 | J Arthroplasty         | 2004 |
| Price AJ, Short A, Kellet C, Beard D, Gill H, Dodd CAF, Murray DW. Ten year in-vivo wear measurement of a fully congruent mobile bearing unicompartmental knee arthroplasty. <i>J Bone Joint Surg [Br]</i> ; (2005); 87-B: 1943-7                   | J Bone Joint Surg [Br] | 2005 |
| Price AJ, Waite JC, Svard U. Long-term Clinical Results of the Medial Oxford Unicompartmental Knee Arthroplasty, <i>Clin Orthop</i> ; (2005); 435: 171-180                                                                                          | Clin Orthop            | 2005 |
| Price AJ, Webb J, Topf H, Dodd CA, Goodfellow JW, Murray DW. Rapid recovery after Oxford Unicompartmental arthroplasty through a short incision, <i>Journal of Arthroplasty</i> ; (2001); 16-8: 970-976                                             | J Arthroplasty         | 2001 |
| Price AJ. Medial meniscal bearing unicompartmental arthroplasty: wear, mechanics and clinical outcome. DPhil Thesis, University of Oxford, 2003                                                                                                     | Thesis                 | 2003 |

|                                                                                                                                                                                                                                 |                        |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Psychoyios V, Crawford R, O'Connor J, Murray D. "Polyethelene Wear in Congruent Meniscal Bearing Unicompartmental Knee Replacements". EROS, 1997                                                                                | Conference             | 1997 |
| Psychoyios V, Crawford RW, O'Connor JJ, Murray DW. Wear of Congruent Meniscal Bearings in Unicompartmental Knee Arthroplasty A Retrieval study of 16 specimens, <i>J Bone Joint Surg</i> ; (1998); 80-B (6): 976-982            | J Bone Joint Surg [Br] | 1998 |
| Pulavarti RS, Nanu AM. Retrieval of an impacted trial implant during unicompartmental knee arthroplasty, <i>J Arthroplasty</i> ; (2007); 22 (4): 621-3                                                                          | J Arthroplasty         | 2007 |
| Rajasekhar C, Das S, Smith A. Unicompartmental knee arthroplasty 2- TO 12-Year results in a community hospital, <i>J Bone Joint Surg [Br]</i> ; (2004); VOL, 86-B (7): 983-985                                                  | J Bone Joint Surg [Br] | 2004 |
| Ranawat C, Flynn WF, Saddler S, Hansraj KK, Maynard MJ. Long-term results of the total condylar knee arthroplasty. <i>Clin Orthop</i> ; (1993); 286: 94-102                                                                     | Clin Orthop            | 1993 |
| Rea P, Short A, Pandit H, Price AJ, Kyberg P, Beard DJ, Gill HS, Murray DW. Radiolucency and migration after Oxford unicompartmental knee arthroplasty, <i>Orthopedics</i> ; (2007); 30 (5 suppl): 24-7                         | Orthopedics            | 2007 |
| Rees JL, Price AJ, Beard DJ, Dodd CAF, Murray DW. Minimally invasive Oxford unicompartmental knee arthroplasty: functional results at 1 year and the effect of surgical inexperience, <i>Knee</i> ; (2004); 11 (5): 363-367     | Knee                   | 2004 |
| Rees JL, Price AJ, Lynskey TG, Svard UCG, Dodd CAF, Murray DW. Medial unicompartmental arthroplasty after failed high tibial Osteotomy, <i>J Bone Joint Surg</i> ; (2001); 83-B-7: 1034-1036                                    | J Bone Joint Surg [Br] | 2001 |
| Rehder U. Morphometrical studies on the symmetry of the human knee joint: femoral condyles. <i>J Biomech</i> ; (1983); 16: 351-61                                                                                               | J Biomech              | 1983 |
| Reilly KA, Beard DJ, Barker KL, Dodd CA, Price AJ, Murray DW. Efficacy of an accelerated recovery protocol for Oxford unicompartmental knee arthroplasty – a randomized controlled trial, <i>Knee</i> ; (2005); Vol 12: 351-357 | Knee                   | 2005 |

|                                                                                                                                                                                                                                                                                                                                                                                |                        |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Repicci JA, Eberle RW. Minimally invasive technique for unicondylar knee arthroplasty. <i>J South Orthop Assoc</i> ; (1999); 8: 20-27                                                                                                                                                                                                                                          | J South Orthop Assoc   | 1999 |
| Ritter MA, Berend ME, Meding JB, Keating EM, Faris PM, Crites BM. Long-term follow-up og anatomic graduated components posterior cruciate retaining total knee replacement. <i>Clin Orthop</i> ; (2001); 388: 51-7                                                                                                                                                             | Clin Orthop            | 2001 |
| Ritter MA, Faris PM, Thong AE, Davis KE, Meding JB, Berend ME. Intra-operative findings in varus osteoarthritis of the knee An analysis of pre-operative alignment in potential candidates for unicompartmental arthroplasty, <i>J Bone Joint Surg [Br]</i> ; (2004); Vol 86-B (1): 43-47                                                                                      | J Bone Joint Surg [Br] | 2004 |
| Robertsson O, Knutson K, Lewold S, Lidgren L. Knee Arthroplasty for Osteoarthritis and Rheumatoid Arthritis 1986-1995 Validation and outcome in the Swedish National Register, 1999                                                                                                                                                                                            | Joint Register         | 1999 |
| Robertsson O, Knutson K, Lewold S, Lidgren L. The routine of surgical management reduces failure after unicompartmental knee arthroplasty. <i>J Bone Joint Surg [Br]</i> ; (2001); 83-B: 45-9                                                                                                                                                                                  | J Bone Joint Surg [Br] | 2001 |
| Robertsson O, Borgquist L, Knutson K, Lewold S, Lidgren L. Use of Unicompartmental instead of tricompartmental prostheses for unicompartmental arthrosis in the knee is a cost effective alternative. 15,437 primary tricompartmental prostheses were compared with 10,624 primary medial or lateral unicompartmental prostheses. <i>Acta Orthop Scand</i> ; (1999); 70: 170-5 | Acta Orthop scand      | 1999 |
| Robertsson O, Knutson K, Lewold S, Lidgren L. The Swedish Knee Arthroplasty Register 1975- 1997. An update with special emphasis on 41,223 knees operated on in 1988- 1997, <i>Acta Orthop Scand</i> ; (2001); 72(5): 503-513                                                                                                                                                  | Acta Orthop Scand      | 2001 |

|                                                                                                                                                                                                                                                      |                        |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Robertsson O, Scott G, reeman MA. Ten-year survival of the cemented Freeman-Samuelson primary knee arthroplasty. Data from the Swedish Knee Arthroplasty Register and the Royal London Hospital. <i>J Bone Joint Surg [Br]</i> ; (2000); 82-B: 506-7 | J Bone Joint Surg [Br] | 2000 |
| Robinson B, Dislocation in mobile bearing lateral unicompartmental arthroplasty. DPhil Thesis, University of Oxford, 2002                                                                                                                            | Thesis                 | 2002 |
| Robinson BJ, Rees JL, Price AJ, Beard DJ, Murray DW, McLardy-Smith P, Dodd CAF. Dislocation of the bearing of the Oxford lateral unicompartmental arthroplasty, A radiological assessment, <i>J Bone Joint Surg [Br]</i> ; (2002); 84-B (5): 653-657 | J Bone Joint Surg [Br] | 2002 |
| Robinson BJ, Rees JL, Price AJ, Beard DJ, Murray DW. A Kinematic study of lateral unicompartmental arthroplasty, <i>Knee</i> ; (2002); 9: 237-240                                                                                                    | Knee                   | 2002 |
| Robinson D, Halperin N, Nevo Z. Devascularisation of the anterior cruciate ligament by synovial stripping in rabbits. An experimental model. <i>Acta Orthop Scand</i> ; (1992); 63: 502-6                                                            | Acta Orthop Scand      | 1992 |
| Rodriguez JA, Brende H, Ranawat C. Total condylar knee replacement. <i>Clin Orthop</i> ; (2001); 388: 10-17                                                                                                                                          | Clin Orthop            | 2001 |
| Rostoker W, Galante JO. Contact pressure dependance of wear rates of ultra high molecular weight polyethylene. <i>J Biomed Mater Res</i> ; (1979); 13: 957-64                                                                                        | J Biomed Mater Res     | 1979 |
| Rougraff BT, Heck DA, Gibson AE. A comparison of tricompartmental and unicompartmental arthroplasty for the treatment of gonarthrosis. <i>Clin Orthop</i> ; (1991); 273: 157-64                                                                      | Clin Orthop            | 1991 |
| Rovick JS, Reuben JD, Schragar RJ, Walker PS. Relation between knee motion and ligament length patterns. <i>Clin Biomech</i> ; (1991); 6: 213-20                                                                                                     | Clin Biomech           | 1991 |

|                                                                                                                                                                                                                                                                           |                        |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Rudol G, Jackson MP, James SE. Medial tibial plateau fracture complicating unicompartmental knee arthroplasty, <i>J of Arthroplasty</i> , (2007); 22 (1): 148-50                                                                                                          | J Arthroplasty         | 2007 |
| Saldanha KA, Keys GW, Svard UC, White SH, Rao C. Revision of Oxford medial unicompartmental knee arthroplasty to total knee arthroplasty - results of a multicentre study, <i>Knee</i> ; (2007); 14: 275-279                                                              | Knee                   | 2007 |
| Sapega AA, Moyer MA, Schneck C, Komalahiranya N. Testing for isometry during reconstruction of the anterior cruciate ligament. <i>J Bone Joint Surg [Am]</i> ; (1990); 23: 45-58                                                                                          | J Bone Joint Surg [Am] | 1990 |
| Sathasivam S, Walker PS, Campbell PA, Rayner K. The effect of contact area on wear in relation to fixed bearing and mobile bearing knee replacements. <i>J Biomed Mater Res</i> ; (2001); 58: 282-90                                                                      | J Biomed Mater Res     | 2001 |
| Sathasivam S, Walker PS. A computer model with surface friction for the prediction of total knee kinematics. <i>J Biomech</i> ; (1997); 30: 177-84                                                                                                                        | J Biomech              | 1997 |
| Sathasivam S, Walker PS. Optimization of the bearing surface geometry of total knees. <i>J Biomech</i> ; (1994); 27: 255-63                                                                                                                                               | J Biomech              | 1994 |
| Sathasivam S, Walker PS. Computer model to predict subsurface damage in tibial inserts of total knees. <i>J Orthop Res</i> ; (1998); 16: 564-71                                                                                                                           | J Orthop Res           | 1998 |
| Saweres ES. The Oxford medial unicompartmental knee replacement using a minimally-invasive approach, <i>J Bone Joint Surg [Br]</i> ; (2006); 88 (1): 54-60                                                                                                                | J Bone Joint Surg [Br] | 2006 |
| Scott R, Schroeder D. Correlation of knee simulator to in vivo use: evaluating the oxford Unicompartmental Knee. In: Transactions of the 46th annual meeting of the Orthopaedic Research society, 2000, Orlando, Florida. Rosemont, IL: Orthopaedic research society: 434 | Conference             | 2000 |

|                                                                                                                                                                                                                                          |                        |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Scott R, Schroeder D. Correlation of knee simulator to in-vivo use: evaluating the Oxford Unicompartmental Knee. In: Transactions of the 46th Annual Meeting of the Orthopaedic Research Society, 2000, Orlando, Florida. Rosemount, IL: | Conference             | 2000 |
| Scott RD, Cobb AG, MCQueary FG, Thornhill TS. Unicompartmental knee arthroplasty. Eight-12year follow up evaluation with survivorship analysis. <i>Clin Orthop</i> ; (1999); 271: 96-100                                                 | Clin Orthop            | 1999 |
| Scott RD, Santore RF. Unicondylar unicompartmental replacement for osteoarthritis of the knee. <i>J Bone Joint Surg [Am]</i> ; (1981); 63-A: 536-44                                                                                      | J Bone Joint Surg [Am] | 1981 |
| Seering WP, Piziali RL, Nagal DA, Schurman DJ. The function of the primary ligaments of the knee in varus-valgus and axial rotation. <i>J Biomech</i> ; (1980); 13: 785-94                                                               | J Biomech              | 1980 |
| Shakespeare D, Jeffcote B. Unicondylar arthroplasty of the knee – cheap at half the price, <i>Knee</i> ; (2002); 10 (4): 357-361                                                                                                         | Knee                   | 2003 |
| Shakespeare D, Ledger M, Kinzel V. Accuracy of implantation of components in the Oxford knee using the minimally invasive approach, <i>Knee</i> ; (2005); 12(3): 405-409                                                                 | Knee                   | 2005 |
| Shakespeare D, Ledger M, Kinzel V. The influence of the tibial sagittal cut on component position in the Oxford knee, <i>Knee</i> ; (2005); 12(3): 169-76                                                                                | Knee                   | 2005 |
| Sharpe I, Tyrrell PN, White SH. Magnetic resonance imaging assessment for unicompartmental knee replacement: a limited role. <i>Knee</i> ; (2001); 8: 213-18                                                                             | Knee                   | 2001 |

|                                                                                                                                                                                                                   |                                          |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------|
| Sherman KP, Goodfellow JW, Tibrewal S, O'Connor J. Bilateral Oxford Meniscal Knee Arthroplasty, <i>Journal of the Royal Society of Medicine</i> ; (1985); Vol.78                                                  | Journal of the Royal Society of Medicine | 1985 |
| Short A, Gill HS Marks B, Waite JC, Kellet CF, Price AJ, O'Connor JJ, Murray DW. A novel method for in vivo knee prosthesis wear measurement. <i>J Biomech</i> ; (2005); 38: 315-22                               | J Biomech                                | 2005 |
| Short A, O'Brien S, Price A, Murray DW. "Accurate In-Vivo Measurement of Polyethylene Thickness in the Oxford Unicompartmental Knee Replacement". ISTA, Hawaii, Abstract 255, 2001                                | Conference                               | 2001 |
| Shrive NG, O'Connor JJ, Goodfellow JW. 2. Load Bearing in the Knee Joint, <i>Clinical Orthop</i> ; (1978); 131: 279-287                                                                                           | Clin Orthop                              | 1978 |
| Sidles JA, Larson RV, Garbini JL, Downey DJ, Matsen FAI. Ligament length relationships in the moving knee. <i>J Orthop Res</i> ; (1988); 6: 593-610                                                               | J Orthop Res                             | 1988 |
| Sisto DJ, Blazina ME, Heskiaoff D, Hirsh LC. Unicompartmental arthroplasty for osteoarthritis of the knee. <i>Clin Orthop</i> ; (1993); 286: 149-53                                                               | Clin Orthop                              | 1993 |
| Skowronski J, Jatskewych J, Dlugosz J, Skowronski R, Bielecki M. The Oxford II medial unicompartmental knee replacement. A minimum 10-year follow-up study, <i>Ortop Traumatol Rehabil</i> ; (2005); 7 (6): 620-5 | Ortop Traumatol Rehabil                  | 2005 |
| Skyrme, AD, Mencia MM, Skinner PW. "Early failure of the porous-coated anatomic cemented unicompartmental knee arthroplasty: A 5- to 9-year follow-up study." <i>J Arthroplasty</i> ; (2002); 17(2): 201-5        | J Arthroplasty                           | 2002 |
| Sloper PJH, Hing B, Donnell ST, Glasgow MMS. Intra-operative tibial plateau fracture during Unicompartmental knee replacement. A case report, <i>Knee</i> ; (2002); 10: 367-369                                   | Knee                                     | 2003 |

|                                                                                                                                                                                                                                                           |                        |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Squire MW, Callaghan JJ, Goetz DD, Sullivan PM, Johnston RC. Unicompartmental knee replacement. A minimum 15 year follow-up study. <i>Clin Orthop</i> ; (1999); 367: 61-72                                                                                | Clin Orthop            | 1999 |
| Stern SH, Becker MW, Insall JN. Unicondylar knee arthroplasty. An evaluation of selection criteria. <i>Clin Orthop</i> ; (1993); 286: 143-8                                                                                                               | Clin Orthop            | 1993 |
| Strasser H. Lehrbuch der Muskel und Gelenkmechanik. III Band: Die untere Extremität. Berlin: Springer-Verlag, 1917                                                                                                                                        | Book                   | 1917 |
| Stukenborg-Colsman C, Wirth CJ, Lazovic D, Wefer A. "High tibial osteotomy versus unicompartmental joint replacement in unicompartmental knee joint osteoarthritis" 7-10 year follow-up prospective randomized study. <i>Knee</i> ; (2001); 8 (3): 187-94 | Knee                   | 2001 |
| Svard UCG, Price AJ. Oxford medial unicompartmental knee arthroplasty A survival analysis of an independent series, <i>J Bone Joint Surg</i> ; (2001); 83-B (2): 191-194                                                                                  | J Bone Joint Surg [Br] | 2001 |
| Swanson AB, Swanson GD, Powers T, Khalil MA, Maupin BK, Mayhew DE, Moss SH. Unicompartmental and bicompartmental arthroplasty of the knee with a finned metal tibial-plateau implant. <i>J Bone Joint Surg [Am]</i> ; (1985); 67-A: 1175-82               | J Bone Joint Surg [Am] | 1985 |
| Tabor OB Jr, Tabor OB, Bernard M, Wan JY. Unicompartmental knee arthroplasty: long-term success in middle-age and obese patients. <i>J Surg Orthop Adv</i> ; (2005); 14: 59-63                                                                            | J Surg Orthop Adv      | 2005 |
| Tabor OB Jr, Tabor OB. Unicompartmental arthroplasty: a long-term follow-up study. <i>J Arthroplasty</i> ; (1998); 13: 373-9                                                                                                                              | J Arthroplasty         | 1998 |

|                                                                                                                                                                                                                                        |                                     |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------|
| Taylor WR, Heller MO, Bergmann G, Duda GN. Tibio-femoral loading during normal daily activities. In: Knee Arthroplasty: Engineering Functionality. London: <i>Institution of Mechanical Engineers</i> , (2005); 142-5                  | Institution of Mechanical Engineers | 2005 |
| The Swedish Knee Arthroplasty Register – Part II 22 – 23 Annual report 2002                                                                                                                                                            | Joint Register                      | 2002 |
| Thomas RH, Resnick D, Alazraki NP, Daniel D, Greenfield R. Compartmental evaluation of osteoarthritis of the knee. A comparative study of available diagnostic modalities. <i>Radiology</i> ; (1975); 116: 585-94                      | Radiology                           | 1975 |
| Thompson WO, Fu FH, Thaete FL, Dye S. Assessment of tibial meniscal kinematics by 3-D magnetic resonance imaging. <i>Trans Orthop Res Soc</i> ; (1990); 15: 245                                                                        | Trans Orthop Res Soc                | 1990 |
| Thornhill TS, Scott RD. Unicompartamental total knee arthroplasty. <i>Orthop Clin North Am</i> ; (1989); 20: 245-56                                                                                                                    | Orthop Clin North Am                | 1989 |
| Tibrewal SB, Grant KA, Goodfellow JW. 4. The Radiolucent Line Beneath the Tibial Compartments of the Oxford Meniscal Knee, <i>J Bone Joint Surg [Br]</i> ; (1984); 66-B: 523-528                                                       | J Bone Joint Surg [Br]              | 1984 |
| Tokuhara Y, Kadoya Y, Nakagawa S, Kobayashi A, Takaoka K. The flexion gap in normal knees. An MRI study. <i>J Bone Joint Surg [Br]</i> ; (2004); 86-B: 1133-6                                                                          | J Bone Joint Surg [Br]              | 2004 |
| van Dijk R, Huiskes R, Selvik G. Roentgen stereophotogrammetric methods for the evaluation of the three dimensional kinematic behaviour and cruciate ligament length patterns of the human knee. <i>J Biomech</i> ; (1979); 12: 727-31 | J Biomech                           | 1979 |
| Varsson I, Gillquist J, "Rehabilitation after high tibial osteotomy and unicompartamental arthroplasty" A comparative study. <i>Clin Orthop</i> ; (1991); 226: 139-44                                                                  | Clin Orthop                         | 1991 |

|                                                                                                                                                                                                                                                      |                                     |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------|
| Vedi V, Williams A, Tennant SJ, Spouse E, Hunt DM, Gedroyc WM. Meniscal movement. An in-vivo study using dynamic MRI. <i>J Bone Joint Surg [Br]</i> ; (1999); 81-B: 37-41                                                                            | J Bone Joint Surg [Br]              | 1999 |
| Verdonk, R., Cottenie D, Almquist KF, Vorlat P. "The Oxford unicompartmental knee prosthesis: a 2-14 year follow-up." <i>Knee Surg Sports Traumatol Arthrosc</i> ; (2005); 13(3): 163-6.                                                             | Knee Surg Sports Traumatol Arthrosc | 2005 |
| Verhaven E, Handelberg F, Catelevn P, Opdecam P. Meniscal bearing dislocation in the Oxford knee, <i>Acta Orthop Belg</i> ; (1991); 57(4): 430-2                                                                                                     | Acta Orthop Belg                    | 1991 |
| Vorlat P, Putzeys G, Cottenie D, Van Isacker T, Pouliart N, Handelberg F, Casteleyn P-P, Gheysen F, Verdonk R. The Oxford unicompartmental knee prosthesis: A 2-14 year follow up, <i>Knee Surg Sports Traumatol Arthrosc</i> ; (2005);              | Knee Surg Sports Traumatol Arthrosc | 2005 |
| Vorlat P, Putzeys G, Cottenie D, Van Isacker T, Pouliart N, Handelberg F, Casteleyn P-P, F Gheysen, Verdonk R. "The Oxford unicompartmental knee prosthesis: an independent 10-year survival analysis." <i>Knee Surg Sports Traumatol Arthrosc</i> ; | Knee Surg Sports Traumatol Arthrosc | 2006 |
| Vorlat P, Van Isacker T, Pouliart N, Handebrug F, Casteleyn PP, Gheysen F, Verdonk R. <i>Knee Surg Sports Traumatol Arthrosc</i> ; (2006); 14: 40-5                                                                                                  | Knee Surg Sports Traumatol Arthrosc | 2006 |
| Vorlat P, Verdonk R, Schauvlieghe H. The Oxford Unicompartmental knee prosthesis A 5-Year follow up, <i>Knee Surg. Sports Traumatol Arthrosc</i> ; (2000); 8: 154-158                                                                                | Knee Surg Sports Traumatol Arthrosc | 2000 |
| Walker PS, Blunn GW, Broome DR, Perry J, Watkins A, Sathasivam S, Dewar ME, Paul JP. A knee simulating machine for performance evaluation of total knee replacements, <i>J Biomech</i> ; (1997); 30: 83-9                                            | J Biomech                           | 1997 |
| Walker PS, Rovick JS, Robertson DD. The effects of knee brace hinge design and placement on joint mechanics. <i>J Biomech</i> ; (1988); 21: 965-74                                                                                                   | J Biomech                           | 1988 |

|                                                                                                                                                                                                                                                                                                                                      |                        |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|
| Walton NP, Jahromi I, Lewis PL, Dobson PJ, Angel KR, Campbell DG. Patient-perceived outcomes and return to sport and work: TKA versus mini-incision unicompartmental knee arthroplasty, <i>Journal Knee Surgery</i> ; (2006); 19 (2): 112-6                                                                                          | J Knee Surg            | 2006 |
| Wang C, Walker PS. The effects of flexion and rotation on the length patterns of the ligaments of the knee. <i>J Biomech</i> ; (1973); 6: 587-96                                                                                                                                                                                     | J Biomech              | 1973 |
| Weale A, Murray DW, Crawford R, Psychoyios V, Bonomo A, Howell G, O'Connor JJ, Goodfellow JW. Does Arthritis Progress in the Retained Compartments after Oxford Medial Unicompartmental Arthroplasty? A clinical and radiological study with a minimum ten-year follow up, <i>J Bone Joint Surg [Br]</i> ; (1999); 81-B (5): 783-789 | J Bone Joint Surg [Br] | 1999 |
| Weale A, Newman JH. Unicompartmental arthroplasty and high tibial osteotomy for osteoarthritis of the knee. A comparative study with a 12 to 17 year follow-up period. <i>Clin Orthop</i> ; (1994); 302: 134-7                                                                                                                       | Clin Orthop            | 1994 |
| Weale AE, Feikes J, Prothero D, O'Connor JJ, Murray DW, Goodfellow J, "In Vitro Evaluation of the resistance to Dislocation of a Meniscal-Bearing Total knee prosthesis between 30 and 90 of knee flexion". <i>Journal of Arthroplasty</i> ; 17 (4); (2002): 475-483                                                                 | J Arthroplasty         | 2002 |
| Weir DJ, Moran CJ, Pinder IM. Kinematic condylar total knee arthroplasty. 14 year survivorship analysis of 208 consecutive cases. <i>J Bone Joint Surg [Br]</i> ; (1996); 78-B: 907-11                                                                                                                                               | J Bone Joint Surg [Br] | 1996 |
| White S, Ludkowski PF, Goodfellow JW. Anteromedial Osteoarthritis of the Knee, <i>J Bone Joint Surg [Br]</i> ; (1991); 73-B: 582-586                                                                                                                                                                                                 | J Bone Joint Surg [Br] | 1991 |
| Wiles P, Andrews PS, Devas MB. Chondromalacia of the patella. <i>J Bone Joint Surg [Br]</i> ; (1956); 38-B: 95-113                                                                                                                                                                                                                   | J Bone Joint Surg [Br] | 1956 |

|                                                                                                                                                                                                                                                            |                                             |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|------|
| Wilson DR, Feikes JD, O'Connor JJ. Ligaments and articular contact guide passive knee flexion. <i>J Biomech</i> ; (1998); 31: 1127-36                                                                                                                      | J Biomech                                   | 1998 |
| Wilson DR, Feikes JD, Zavatsky AB, O'Connor JJ. The components of passive knee movement are coupled to flexion angle. <i>J Biomech</i> ; (2000); 33: 465-73                                                                                                | J Biomech                                   | 2000 |
| Witvoet J, Peyrache MD, Nizard R. Single compartment 'Lotus' type knee prosthesis in the treatment of lateralized gonarthrosis: results in 135 cases with a mean follow-up of 4.6 years. <i>Rev Chir Orthop Reparatrice Appar Mot</i> ; (1993); 79: 565-76 | Rev Chir Orthop<br>Reparatrice Appar<br>Mot | 1993 |
| Woods D, Wallace D, Woods C, McLardy-Smith P, Carr AJ, Murray DW, Martin J, Gunther T. Chondrocalcinosis and medial unicompartemental knee arthroplasty. <i>Knee</i> ; (1995); 2: 117-19                                                                   | Knee                                        | 1995 |
| Wroblewski BM. Direction and rate of socket wear in Charnley low-friction arthroplasty. <i>J Bone Joint Surg [Br]</i> ; (1985); 67-B: 757-61                                                                                                               | J Bone Joint Surg<br>[Br]                   | 1985 |
| Yang KY, Yeo SJ, Lo NN. Stress fracture of the medial tibial plateau after minimally invasive unicompartemental knee arthroplasty: a report of 2 cases. <i>J Arthroplasty</i> ; (2003); 18: 801-3                                                          | J Arthroplasty                              | 2003 |
| Zavatsky AB, O'Connor JJ. A model of human knee ligaments in the sagittal plane. Part 1: response to passive flexion. <i>J Engng Med, Proc Inst Mech Eng (h)</i> ; (1992); 206:125-34                                                                      | J Engng, Proc Inst<br>Mech Eng              | 1992 |
| Zavatsky AB, O'Connor JJ. A model of human knee ligaments in the sagittal plane. Part 2: Fibre recruitment under load. <i>J Engng Med, Proc Inst Mech Eng (H)</i> ; (1992); 206: 135-45                                                                    | J Engng, Proc Inst<br>Mech Eng              | 1992 |
| Zuppinger H. Die active flexion im Umbelasteten Kniegelenk. Weisbaden: Bergmann, 1904                                                                                                                                                                      |                                             | 1904 |